




289.00 EUR  
incl. 19% VAT, plus [shipping](#)

- Intel N97 !
- 2x LAN !
- NUC Format !



- 1\* DDR5 4800MHz SODIMM Slot, up to 16GB
- 1\* HDMI 2.0b, 1\*DP1.4, 2\* Typ C DP
- 2\* 2.5GbE
- 1\* RS485/422/232
- 4 x USB 3.2 Gen2 (2 x Type-A, 2 x Type-C DP ALT Mode), 3 x USB2
- 1 x M.2 2260/2280 M-key, 1 x M.2 2230 E-key
- DC Input 12-19

## SYSTEM

FORM FACTOR	NUC
CPU	Onboard Intel® Processor N-series Processors Intel® Processor N97 *For additional compatible CPUs, please contact regional sales
CPU TDP	12W
CHIPSET	Integrated with Intel® SoC
MEMORY TYPE	1 x DDR5 4800MHz, Single Channel SODIMM, up to 16GB

BIOS	UEFI with Intel PTT fTPM2.0
WAKE ON LAN	Yes
WATCHDOG TIMER	255 Levels
SECURITY	TPM2.0 (Optional)
RTC BATTERY	Lithium Battery
DIMENSION (L X W)	101mm x 101mm (4" x 4")
OS SUPPORT	Windows® 10 (64bit), Windows® 11 (64bit) Linux
<b>POWER</b>	
POWER REQUIREMENT	DC 12~19V
POWER SUPPLY TYPE	AT/ATX
CONNECTOR	External DC-in Connector
<b>DISPLAY</b>	
CONTROLLER	Intel® UHD Graphics
LVDS/eDP/MIPI-DSI	—
DISPLAY INTERFACE	1 x HDMI 2.0b, up to 4K x 2K 60Hz 1 x DP1.4, up to 4K x 2K 60Hz 2 x Type C DP1.4, up to 4K x 2K 60Hz
MULTIPLE DISPLAY	Support 3 Displays
<b>AUDIO</b>	
CODEC	Realtek ALC897
AUDIO INTERFACE	Line-out/MIC
SPEAKER	—
<b>EXTERNAL I/O</b>	
ETHERNET	2 x Intel® i225V, 10/100/2500Base
USB	2 x USB3.2 Gen 2 2 x USB3.2 Gen 2 Type C support ALT mode 1 x USB2.0
SERIAL PORT	1 x RS232/422/485
VIDEO	1 x HDMI 2.0b 1 x DP1.4 2 x Type C DP1.4
<b>INTERNAL I/O</b>	
USB	2 x USB2.0
GPIO	8-Bit
SMBUS	Yes
FAN	1 x CPU Fan
SIM	—
FRONT PANEL	PWR LED Power Button
OTHERS	1 x Chassis intrusion 1 x AT mode
<b>STORAGE</b>	
SATA	1 x SATA3 1 x SATA Power Connector
MINI PCI-E/MSATA	—
M.2	1 x M-Key 2260/2280 (SATA/PCIe 3.0 x2) support NVMe

eMMC	eMMC 64GB (optional)
<b>EXPANSION</b>	
M.2	1 x E-key 2230 (USB2.0/PCIe 3.0x1) support CNVio
OTHERS	—
<b>ENVIRONMENT &amp; CERTIFICATION</b>	
OPERATING TEMPERATURE	-20°C ~ 60°C (-4°F ~ 140°F)
STORAGE TEMPERATURE	-20°C ~ 85°C (-4°F ~ 185°F)
OPERATING HUMIDITY	10% ~ 90% relative humidity, non-condensing
CERTIFICATION	Meet CE/FCC Class A